

VACUUMS | SHROUDS | ACCESSORIES

1

8

0

TA UUM

H0901 Slurry Vac System Shown*

1

WHEN YOU MAKE THE WORLD

EST. 200,000+ LBS. OF RESPIRABLE DUST SAFELY CONTAINED IN 2023

Hand grinders generate harmful cement dust, causing respiratory problems. A NIOSH study found dust containment shrouds dramatically reduce exposure, from 1.9 mg/m³ to 0.33 mg/m³. This significant reduction helps prevent life-threatening diseases like silicosis.

Improve your and your team's safety and health with our dust containment shrouds and vacuums. These tools effectively capture dust at the source, preventing you from inhaling an average of 138 grams of cement dust per year.

When you make anything from roads to schools to garage floors and more, make it Dustless for a safer, healthier work environment.

MAKE IT DUSTLESS

VACUUMS

Designed with construction in mind, these vacuums are powerful enough to take on any application: concrete, drywall, paint removal and more. With a purposeful balance of airflow and suction, our vacuums provide longer use without clogged filters.

Dustless

DUSTLESS HEPA VA



3 | VACUUMS





Our most reliable vacuum for meeting all regulatory needs. Individually tested certified HEPA filters.

CAPACITY: 16 GAL DEBRIS: Wet+Dry AIRFLOW: 131 CFM WATERLIFT: 103 in HOSE: 1.5″ x 12′ FILTRATION: 3 Stages MODEL: D1606

Powerful vacuum without HEPA filtration. Suitable for meeting OSHA regulations and general job site cleanup.

CAPACITY: 16 GAL DEBRIS: Wet+Dry AIRFLOW: 131 CFM WATERLIFT: 103 in HOSE: 1.5" x 12' FILTRATION: 3 Stages **MODEL:** D1603

OSHA Silica 🗹

Our most affordable HEPA certified vacuum. Light capacity means light-weight and easy to handle. Perfect for all regulatory needs.

INCLUDES: (1) micro pre-filter bag CAPACITY: 8 GAL (1) HEPA Filter DEBRIS: Wet+Dry AIRFLOW: 138 CFM (1) wet Screen Filter WATERLIFT: 82 in (2) vacuum Wands HOSE: 1.5" x 12' & 1.38" x 8' (1) wet+dry floor tool FILTRATION: 2 Stages MODEL: D1619

OSHA Silica 🧭 EPA RRP 🧭 HEPA Certified 😒



16 Gal. HEPA Wet+Dry Dustless Vac®

INCLUDES: (2) WunderBag micro pre-filter (1) HEPA filter cover (1) certified HEPA filter (2) extension wands

(1) crevice tool

(1) floor tool

OSHA Silica 🧭 EPA RRP 🧭 HEPA Certified 🧭



- **INCLUDES:** (2) WunderBag micro pre-filter (1) outer filter (1) inner filter
- (2) extension wands (1) crevice tool
- (1) floor tool



- (1) crevice Tool (1) round Brush
- (1) HEPA Floor Tool
- (3) hose adapters



HEPA Pack Dustless Vac®

Our backpack vacuum is designed for applications where vacuums need to be held off the ground, or for jobs that require high mobility.

CAPACITY: 2.5 GAL DEBRIS: Dry AIRFLOW: 120 CFM WATERLIFT: 108 in HOSE: 1.5″ x 5′ FILTRATION: 4 Stages **MODEL:** D1505

INCLUDES: (2) sealable filter bag (1) filter sock support bag (1) HEPA motor/cone filter (1) exhaust filters set (1) 50' extension cord

(1) cord retainer (1) 2-piece s-wand (1) HEPA floor tool (1) crevice tool (1) bristled floor tool (1) tool adapter





COUGAR[®]

Ash Vacuum

The original ash vacuum's metal canister and fire resistant hose make it useful for cleaning up cool-to-warm ash in residential, commercial, or industrial conditions.

CAPACITY: 6 GAL DEBRIS: Dry AIRFLOW: 90 CFM SUCTION: 55" Water HOSE: 1.1" x 5' FILTRATION: 2 Stages MODEL: A0500

INCLUDES: (1) bent metal nozzle (1) crevice tool (1) horse hair brush (1) vented cuff (1) pellet hose

(1) mini ext. wand (1) mini ext. wand - bent (1) mini crevice tool (1) mini round brush (1) mini oval brush tool





If you use our product, tag us in social media and we'll share it in our story!



DUSTLESS DEMO'S **#DUSTLESSTECHNLOGIES**

5 | VACUUMS











WUNDERBAG®

The Wunderbag Micro Pre-filter is a versatile wet+dry debris collection bag for nearly all shoptype vacuums. Its sealable cap and durable synthetic material means that you can vacuum wet and dry debris of any variety and keep the contaminants held safely inside the bag.

UNIVERSAL FLEXIBLE PORT





CAPACITY: 4-7 GAL / 8-10 GAL / 12-18 GAL **DEBRIS**: Wet+Dry **PORT SIZE:** 2-2 ³/₄" FILTRATION: 0.5 Microns MODEL: D1340 (4-7 GAL) D1341 (8-10 GAL) 13141 (12-18 GAL) OSHA Silica 🧭 EPA RRP 🧭



FITS MOST VACS

7 | WUNDERBAG



The WUNDERBAG's flexible gasket easily accepts vacuum ports ranging from 2 to 2 3/4 inches in diameter.

WUNDERBAG Micro Pre-Filter

Our universal shop-vacuum bag filters down to 0.5 microns and fits on nearly all brands of shop-type vacuums. Each Wunderbag comes in a two pack.

HEPA WUNDERBAG Micro Pre-Filter

The HEPA Wunderbag is made of HEPA material that filters down to 0.3 microns at 99.97% efficiency with all the great features of the standard Wunderbag.

CAPACITY: 4-7 GAL / 8-10 GAL / 12-18 GAL **DEBRIS:** Wet+Dry **PORT SIZE:** 2-2 ³/₄" FILTRATION: 0.3 Microns **MODEL:** D1343 (4-7 GAL) D1344 (8-10 GAL) D1351 (12-18 GAL) OSHA Silica 🧭 🛛 EPA RRP 🧭

A NOTE: The HEPA Wunderbag DOES NOT make your vacuum HEPA certified by any regulatory standards.

SLURRY VACS

Our industrial vacuums are powerful workhorses. Their simple design means easier maintenance and operation, with all the industrial-grade strength you need for big jobs.

SIMPLE DESIGN

3

3

3



H0904

H0908

Slurry Vac

Use with liquid and slurry (NO DRY PICKUP), drum with drain port, interchangeable 55 GAL or 30 GAL drum, 20 amp power, and functional for hoses up to 100 ft.

CAPACITY:	55 or 30 GAL INCLUDES :	(1) 55 or 30 gallon drum	
DEBRIS:	Wet	(1) SlurryVac Topper	
AIRFLOW:	114 CFM	(1) S-Wand	
WATERLIFT:	124 in	(1) drum dolly	
HOSE:	1.5″ x 25′	(1) filter/float assembly	
FILTRATION:	1 Stage	(1) squeegee floor tool	
MODEL:	H0904 (55 GAL System)		
	H0901 (55 GAL Vacuum Topper)		
	H0908 (30 GAL System)		
	H0902 (30 GAL Vacuum Topp	per)	

*OSHA Silica 🗹

*The SlurryVac System helps prevent exposure to silica by cleaning up slurry before it dries, not by point of origin Table 1-compliance.

H0901 (55 GAL Vacuum Topper) H0902 (30 GAL Vacuum Topper)

DUST CONTROL

Each Dustless shroud is engineered to have a universal fit. Our shrouds will work with most major brands and their respective tools. When used with a proper vacuum, such as our line of Dustless Vac's, our shrouds are the simplest solution for complying with OSHA's silica rule and other regulations.





TOOL: TASK: MODEL: 5" - D5835

DustBuddie[®] for Hand Grinders

Our most popular grinding shroud with removable edge clip is durable and convenient for any grinding application.

T00L:	Hand
TASK:	Surfa
REQUIRED :	25 CF
MODEL:	5" - [
	5" - E
	7" - [
	ד "ר

Dustie[®] for Hand Grinders

Our most affordable grinding shroud meant for one-time-use applications. Front edge can be cut away for grinding against walls or curbs.

TOOL: TASK: 5" - D1836 MODEL:

BitBuddie[®] for Drilling and Coring

Used for capturing dust and slurry from drilling and coring. Models D1905 and D1908 can be cut to custom shapes and sizes for custom tasks, including cutting drywall.

T00L:	Drills
TASK:	Drilli
REQUIRED :	120
MODEL:	1
	4″ -
	8" -







Dustless

UNIVERSA

FIT

Our high-end grinding shroud with sliding edge clip is our most durable and convenient shroud for any grinding application.

- Hand Grinder Surface Grinding
- **REQUIRED:** 25 CFM per in. wheel diameter

 - 7" D5850
- **INCLUDES:** (1) 18" flexible hose,
 - (3) height adjustment spacers
 - (1) releasable zip tie
 - (1) swivel cuff (7" shroud only)



d Grinder ace Grinding FM per in. wheel diameter D1835 (Hose not included) D0835 D1850 (Hose not included) 7" - D0850

INCLUDES: (1) 18" flexible hose (3) height adjustment spacers (1) releasable zip tie

Hand Grinder Surface Grinding **REQUIRED:** 25 CFM per in. wheel diameter 7" - D1854

INCLUDES: (1) band clamp (1) releasable zip tie

s/Coring Tools **INCLUDES:** (1) 18" flexible hose ing/Coring/Cutting CFM ″ - D1900 D1905 D1908 (Hose not included)



DustBuddie® for Worm Drive/Hypoid Saws

Our dust collection shroud designed specifically for worm drive/hypoid saws. Suitable for concrete dust, saw dust, and other debris.

T00L: Worm Drive/Hypoid Saws INCLUDES: (1) wood collection shield TASK: Cutting REQUIRED: 125 CFM D4000 MODEL:

(1) swivel cuff (1) spacer (1) releasable zip tie



CutBuddie[®] for Hand Grinders

The CutBuddie comes with a special cutting depth guide. Useful for decorative concrete cutting, tuckpointing, and crack chasing.

T00L: TASK: Cutting MODEL:



T00L: TASK: Cutting MODEL:



T00L:	Jack
	SDS
TASK:	Dem
REQUIRED :	130 (
MODEL:	D232



Scraping head dislodges debris into open slots on either side of scraping blade. Attaches to vacuum hose. No additional equipment required.

T00L: TASK: Scraping REQUIRED: 120 CFM MODEL: 61005





DustBuddie® for Flatwork

Our dust collection shroud designed specifically for flatwork with gas powered saws. The shroud's side walls help stabilize lengthy cuts as well as capture dust.

T00L: Gas Powered Saws TASK: Cutting REQUIRED: 260 CFM D0084 MODEL:

INCLUDES: (1) universal mounting bracket with hardware (1) bungee fastener

DustBull

for Hardscaping

Our dust collection shroud designed for cutting bricks, blocks and pavers with gas powered saws. Wide mouth and hinged mount accommodate various angles.

T00L: Gas Powered Saws TASK: Cutting REQUIRED: 260 CFM D1765 MODEL:

INCLUDES: (1) universal mounting bracket with hardware (1) bungee fastener



SawBuddie for Reciprocating Saws

Our dust collection shroud designed for reciprocating saws. Small gap in shroud leaves line of sight unobstructed without effecting collection.

T00L: **Reciprocating Saw** TASK: Cutting REQUIRED: 125 CFM D2415 MODEL:

INCLUDES: (1) 18" connector hose (1) releasable zip tie





Hand Grinder **REQUIRED:** 25 CFM per in. blade diameter 5" - D1730 7" - D1750

INCLUDES: (1) 18" flexible hose (3) center adjustment spacers (1) arbor extender (1) releasable zip tie

The CutBuddie LT is our simplest, most economic cutting shroud for hand grinders. Useful for decorative concrete cutting, tuckpointing, and crack chasing

Hand Grinder **REQUIRED:** 25 CFM per in. blade diameter 6" - D0730

INCLUDES: (1) 18" flexible hose (3) center adjustment spacers (1) arbor extender (1) stepped adapter

Our dust collection shroud for jackhammers and SDS demo hammers. Comes with chisel end attachment for chipping applications such as tile removal.

- chammers Hammer Drills nolition CFM 27
- **INCLUDES:** (1) chisel end attachment (1) hook-and-loop strap (1) hose segment extension

None required

INCLUDES: (3) replacement blades (1) 18" flexible hose

ACCESSORIES

Dustless accessories can help bridge the gap between your existing equipment and a complete dustless system. Each part of a dustless system is designed with universality in mind to work with other major brands. Or if you're just looking for extras, we've got what you need to stay dustless.



CUFFS: 2.25" LENGTH: 25 Feet

MODEL:

12' Crushproof Hose

Standard length hose for Dustless Vacs or other compatible vacuums. Crush-proof from the impact of heavy objects, and kink-proof for unrestricted movement

CUFFS: 2.25" LENGTH: 12 Feet MODEL: 14251

18" Adapter Hose

PORTS: 18 Inches LENGTH: D5155 MODEL:

Stepped Adapter

Adapter used for attaching Dustless shrouds to larger vacuum hoses of varying width. Can be used in place of adapter hose, or misc. uses with other hoses.

PORTS: LENGTH: 3.34 Inches D1414 MODEL:

HEPA Floor Tool

PORTS: LENGTH: MODEL:

1.25" 13 Inches 13242









25' Crushproof Hose

Extra length hose for Dustless Vacs or other compatible vacuums. Crush-proof from the impact of heavy objects, and kink-proof for unrestricted movement.

14291

Standard adapter hose for attaching Dustless shrouds to larger vacuum hoses. Perfectly flexible, lightweight, and compact

1.25" / 2.25"

```
2.25" / 1.75" / 1.25"
```

The HEPA floor tool uses a beater bar which is powered by the suction of your vacuum. Meets EPA RRP requirements for lead abatement.

OUR JOURNEY TOWARD LOCAL MANUFACTURING

At Dustless Technologies, we're dedicated to providing reliable solutions for dust control and job site clean-up. While we sell internationally, our roots remain firmly planted in local soil, and we're actively committed to increasing our local sourcing and manufacturing.

We understand the value of supporting local communities, creating jobs, and minimizing environmental impact through shorter supply chains. Several of our products can certify as "Made in USA" or "Buy American" certified, with many of our top sellers manufactured or assembled right here in Price, Utah. This local production allows us to ensure quality, optimise efficiency, and manage our sourcing responsibly.

However, we're not resting on our laurels. We're continuously pushing ourselves to increase our domestic footprint.

This journey has been both challenging and rewarding, filled with exciting breakthroughs and setbacks. But here at Dustless Technologies, we believe that anything worthwhile takes time and perseverance.

We're currently developing a new line of vacuums with familiar power and dependability with new sizes and upgraded components. This new line will feature a significant increase in locally sourced and manufactured parts, utilizing advanced methods to expand our domestic production capacity. We're confident that these products will represent a significant leap forward in American-made innovation.





MAKE IT DUSTLESS



Dustless Technologies 1285 East 650 South Price, UT 84501

 Customer Service

 Toll Free:
 800.568.3949

 Phone:
 435.637.5885

 Fax:
 208.567.6706

Email: sales@dustlesstools.com Website: dustlesstools.com

BR002_0224_J9922