


Dustless
TECHNOLOGIES



2026

VACUUMS | SHROUDS | ACCESSORIES

H0904 Slurry Vacuum Pictured above*



WHEN YOU MAKE THE WORLD

EST.

200,000+ LBS.

**OF RESPIRABLE DUST SAFELY
CONTAINED IN 2023**

Hand grinders generate harmful cement dust, causing respiratory problems. A NIOSH study found dust containment shrouds dramatically reduce exposure, from 1.9 mg/m³ to 0.33 mg/m³. This significant reduction helps prevent life-threatening diseases like silicosis.

Improve your and your team's safety and health with our dust containment shrouds and vacuums. These tools effectively capture dust at the source, preventing you from inhaling an average of 138 grams of cement dust per year.

When you make anything from roads to schools to garage floors and more, make it Dustless for a safer, healthier work environment.

MAKE IT DUSTLESS



VACUUMS

Designed with construction in mind, these vacuums are powerful enough to take on any application: concrete, drywall, paint removal and more. With a purposeful balance of airflow and suction, our vacuums provide longer use without clogged filters.



**MULTI
LAYERED
FILTRATION**



16 Gal. HEPA Wet+Dry Dustless Vac®

Our most reliable vacuum for meeting all regulatory needs. Individually tested certified HEPA filters.

CAPACITY: 16 GAL	INCLUDES: (2) WunderBag	(2) extension wands
DEBRIS: Wet+Dry	micro pre-filter	(1) crevice tool
AIRFLOW: 131 CFM	(1) HEPA filter cover	(1) floor tool
WATERLIFT: 103 in	(1) certified HEPA filter	
HOSE: 1.5" x 12'		
FILTRATION: 3 Stages		
MODEL: D1606		

OSHA Silica ☒ EPA RRP ☒ HEPA Certified ☒



16 Gal. Wet+Dry Dustless Vac®

Powerful vacuum without HEPA filtration. Suitable for meeting OSHA regulations and general job site cleanup.

CAPACITY: 16 GAL	INCLUDES: (2) WunderBag	(2) extension wands
DEBRIS: Wet+Dry	micro pre-filter	(1) crevice tool
AIRFLOW: 131 CFM	(1) outer filter	(1) floor tool
WATERLIFT: 103 in	(1) inner filter	
HOSE: 1.5" x 12'		
FILTRATION: 3 Stages		
MODEL: D1603		

OSHA Silica ☒



8 Gal. HEPA Wet+Dry PRO Dustless Vac®

Our most affordable HEPA certified vacuum. Light capacity means light-weight and easy to handle. Perfect for all regulatory needs.

CAPACITY: 8 GAL	INCLUDES: (1) micro pre-filter bag	(1) crevice Tool
DEBRIS: Wet+Dry	(1) HEPA Filter	(1) round Brush
AIRFLOW: 138 CFM	(1) wet Screen Filter	(1) HEPA Floor Tool
WATERLIFT: 82 in	(2) vacuum Wands	(3) hose adapters
HOSE: 1.5" x 12' & 1.38" x 8'	(1) wet+dry floor tool	
FILTRATION: 2 Stages		
MODEL: D1619		

OSHA Silica ☒ EPA RRP ☒ HEPA Certified ☒



HEPA Pack Dustless Vac®

Our backpack vacuum is designed for applications where vacuums need to be held off the ground, or for jobs that require high mobility.

CAPACITY:	2.5 GAL	INCLUDES:	(2) sealable filter bag	(1) cord retainer
DEBRIS:	Dry		(1) filter sock support bag	(1) 2-piece s-wand
AIRFLOW:	120 CFM		(1) HEPA motor/cone filter	(1) HEPA floor tool
WATERLIFT:	108 in		(1) exhaust filters set	(1) crevice tool
HOSE:	1.5" x 5'		(1) 50' extension cord	(1) bristled floor tool
FILTRATION:	4 Stages			(1) tool adapter
MODEL:	D1505			

OSHA Silica ☒ EPA RRP ☒ HEPA Certified ☒



COUGAR® Ash Vacuum

The original ash vacuum's metal canister and fire resistant hose make it useful for cleaning up cool-to-warm ash in residential, commercial, or industrial conditions.

CAPACITY:	6 GAL	INCLUDES:	(1) bent metal nozzle	(1) mini ext. wand
DEBRIS:	Dry		(1) crevice tool	(1) mini ext. wand - bent
AIRFLOW:	90 CFM		(1) horse hair brush	(1) mini crevice tool
SUCTION:	55" Water		(1) vented cuff	(1) mini round brush
HOSE:	1.1" x 5'		(1) pellet hose	(1) mini oval brush tool
FILTRATION:	2 Stages			
MODEL:	A0500			



DUSTLESS DEMO'S

#DUSTLESSTECHNOLOGIES




If you use our product, tag us in social media and we'll share it in our story!

WUNDERBAG®

The Wunderbag Micro Pre-filter is a versatile wet+dry debris collection bag for nearly all shop-type vacuums. Its sealable cap and durable synthetic material means that you can vacuum wet and dry debris of any variety and keep the contaminants held safely inside the bag.

**FITS
MOST
VACS**

UNIVERSAL FLEXIBLE PORT



The WUNDERBAG's flexible gasket easily accepts vacuum ports ranging from 2 to 2 3/4 inches in diameter.

WUNDERBAG Micro Pre-Filter

Our universal shop-vacuum bag filters down to 0.5 microns and fits on nearly all brands of shop-type vacuums. Each Wunderbag comes in a two pack.

CAPACITY: 4-7 GAL / 8-10 GAL / 12-18 GAL

DEBRIS: Wet+Dry

PORT SIZE: 2-2 3/4"

FILTRATION: 0.5 Microns

MODEL: D1340 (4-7 GAL)
D1341 (8-10 GAL)
13141 (12-18 GAL)

OSHA Silica ☒ EPA RRP ☒



HEPA WUNDERBAG Micro Pre-Filter

The HEPA Wunderbag is made of HEPA material that filters down to 0.3 microns at 99.97% efficiency with all the great features of the standard Wunderbag.

CAPACITY: 4-7 GAL / 8-10 GAL / 12-18 GAL

DEBRIS: Wet+Dry

PORT SIZE: 2-2 3/4"

FILTRATION: 0.3 Microns

MODEL: D1343 (4-7 GAL)
D1344 (8-10 GAL)
D1351 (12-18 GAL)

OSHA Silica ☒ EPA RRP ☒



! NOTE: The HEPA Wunderbag DOES NOT make your vacuum HEPA certified by any regulatory standards.

SLURRY VACS

Our industrial vacuums are powerful workhorses. Their simple design means easier maintenance and operation, with all the industrial-grade strength you need for big jobs.

A full-page photograph showing a worker in blue jeans and brown work boots operating a yellow and black Slurry Vacuum machine. The worker is holding a long white vertical pipe. The machine is a large, cylindrical unit with a yellow top section labeled 'SLURRY VACUUM' and 'SSS Technologies'. It has a yellow flexible hose connected to it. The machine is sitting on a wet, textured surface, possibly a road or a construction site. In the background, there are mountains and a clear blue sky. The overall scene is bright and clear.

**SIMPLE
DESIGN**



H0904



H0908



H0901 (55 GAL Vacuum Topper)

H0902 (30 GAL Vacuum Topper)

Slurry Vac

Use with liquid and slurry (NO DRY PICKUP), drum with drain port, interchangeable 55 GAL or 30 GAL drum, 20 amp power, and functional for hoses up to 100 ft.


CAPACITY:	55 or 30 GAL	INCLUDES:	(1) 55 or 30 gallon drum
DEBRIS:	Wet		(1) SlurryVac Topper
AIRFLOW:	114 CFM		(1) S-Wand
WATERLIFT:	124 in		(1) drum dolly
HOSE:	1.5" x 25'		(1) filter/float assembly
FILTRATION:	1 Stage		(1) squeegee floor tool
MODEL:	H0904 (55 GAL System)		
	H0901 (55 GAL Vacuum Topper)		
	H0908 (30 GAL System)		
	H0902 (30 GAL Vacuum Topper)		

*OSHA Silica 

*The SlurryVac System helps prevent exposure to silica by cleaning up slurry before it dries, not by point of origin Table 1-compliance.

DUST CONTROL

Each Dustless shroud is engineered to have a universal fit. Our shrouds will work with most major brands and their respective tools. When used with a proper vacuum, such as our line of Dustless Vac's, our shrouds are the simplest solution for complying with OSHA's silica rule and other regulations.

A close-up photograph of a person's hands operating a circular saw. The saw is equipped with a grey dustless shroud. The blade is spinning rapidly, creating a motion blur. The shroud has a black label that reads "MAG 77LT" and "4 LBS LIGHTER*". The saw is resting on a dark surface, and the background is slightly blurred.

**UNIVERSAL
FIT**

Dustless



DustBuddie® XP for Hand Grinders

Our high-end grinding shroud with sliding edge clip is our most durable and convenient shroud for any grinding application.

TOOL:	Hand Grinder	INCLUDES:	(1) 18" flexible hose,
TASK:	Surface Grinding		(3) height adjustment spacers
REQUIRED:	25 CFM per in. wheel diameter		(1) releasable zip tie
MODEL:	5" - D5835		(1) swivel cuff (7" shroud only)
	7" - D5850		



DustBuddie® for Hand Grinders

Our most popular grinding shroud with removable edge clip is durable and convenient for any grinding application.

TOOL:	Hand Grinder	INCLUDES:	(1) 18" flexible hose
TASK:	Surface Grinding		(3) height adjustment spacers
REQUIRED:	25 CFM per in. wheel diameter		(1) releasable zip tie
MODEL:	5" - D1835 (Hose not included)		
	5" - D0835		
	7" - D1850 (Hose not included)		
	7" - D0850		



Dustie® for Hand Grinders

Our most affordable grinding shroud meant for one-time-use applications. Front edge can be cut away for grinding against walls or curbs.

TOOL:	Hand Grinder	INCLUDES:	(1) band clamp
TASK:	Surface Grinding		(1) releasable zip tie
REQUIRED:	25 CFM per in. wheel diameter		
MODEL:	5" - D1836		
	7" - D1854		



BitBuddie® for Drilling and Coring

Used for capturing dust and slurry from drilling and coring. Models D1905 and D1908 can be cut to custom shapes and sizes for custom tasks, including cutting drywall.

TOOL:	Drills/Coring Tools	INCLUDES:	(1) 18" flexible hose
TASK:	Drilling/Coring/Cutting		
REQUIRED:	120 CFM		
MODEL:	1 3/8" - D1900		
	4" - D1905		



DustBuddie® for Worm Drive/Hypoid Saws

Our dust collection shroud designed specifically for worm drive/hypoid saws. Suitable for concrete dust, saw dust, and other debris.

TOOL:	Worm Drive/Hypoid Saws	INCLUDES:	(1) wood collection shield
TASK:	Cutting		(1) swivel cuff
REQUIRED:	125 CFM		(1) spacer
MODEL:	D4000		(1) releasable zip tie



DustBuddie® for Flatwork

Our dust collection shroud designed specifically for flatwork with gas powered saws. The shroud's side walls help stabilize lengthy cuts as well as capture dust.

TOOL:	Gas Powered Saws	INCLUDES:	(1) universal mounting bracket with hardware
TASK:	Cutting		(1) bungee fastener
REQUIRED:	260 CFM		
MODEL:	D0084		



DustBull® for Hardscaping

Our dust collection shroud designed for cutting bricks, blocks and pavers with gas powered saws. Wide mouth and hinged mount accommodate various angles.

TOOL:	Gas Powered Saws	INCLUDES:	(1) universal mounting bracket with hardware
TASK:	Cutting		(1) bungee fastener
REQUIRED:	260 CFM		
MODEL:	D1765		



SawBuddie® for Reciprocating Saws

Our dust collection shroud designed for reciprocating saws. Small gap in shroud leaves line of sight unobstructed without effecting collection.

TOOL:	Reciprocating Saw	INCLUDES:	(1) 18" connector hose
TASK:	Cutting		(1) releasable zip tie
REQUIRED:	125 CFM		
MODEL:	D2415		



CutBuddie® for Hand Grinders

The CutBuddie comes with a special cutting depth guide. Useful for decorative concrete cutting, tuckpointing, and crack chasing.

TOOL:	Hand Grinder	INCLUDES:	(1) 18" flexible hose
TASK:	Cutting		(3) center adjustment spacers
REQUIRED:	25 CFM per in. blade diameter		(1) arbor extender
MODEL:	5" - D1730 7" - D1750		(1) releasable zip tie



CutBuddie® LT for Hand Grinders

The CutBuddie LT is our simplest, most economic cutting shroud for hand grinders. Useful for decorative concrete cutting, tuckpointing, and crack chasing.

TOOL:	Hand Grinder	INCLUDES:	(1) 18" flexible hose
TASK:	Cutting		(3) center adjustment spacers
REQUIRED:	25 CFM per in. blade diameter		(1) arbor extender
MODEL:	6" - D0730		(1) stepped adapter




DustBuddie® for Demo Hammers

Our dust collection shroud for jackhammers and SDS demo hammers. Comes with chisel end attachment for chipping applications such as tile removal.

TOOL:	Jackhammers SDS Hammer Drills	INCLUDES:	(1) chisel end attachment
TASK:	Demolition		(1) hook-and-loop strap
REQUIRED:	130 CFM		(1) hose segment extension
MODEL:	D2327		

ACCESSORIES



Dustless accessories can help bridge the gap between your existing equipment and a complete dustless system. Each part of a dustless system is designed with universality in mind to work with other major brands. Or if you're just looking for extras, we've got what you need to stay dustless.

**COMPLETE
YOUR KIT**



25' Crushproof Hose

Extra length hose for Dustless Vacs or other compatible vacuums. Crush-proof from the impact of heavy objects, and kink-proof for unrestricted movement.

CUFFS: 2.25"
LENGTH: 25 Feet
MODEL: 14291



12' Crushproof Hose

Standard length hose for Dustless Vacs or other compatible vacuums. Crush-proof from the impact of heavy objects, and kink-proof for unrestricted movement.

CUFFS: 2.25"
LENGTH: 12 Feet
MODEL: 14251



18" Adapter Hose

Standard adapter hose for attaching Dustless shrouds to larger vacuum hoses. Perfectly flexible, lightweight, and compact.

PORTS: 1.25" / 2.25"
LENGTH: 18 Inches
MODEL: D5155



Stepped Adapter

Adapter used for attaching Dustless shrouds to larger vacuum hoses of varying width. Can be used in place of adapter hose, or misc. uses with other hoses.


PORTS: 2.25" / 1.75" / 1.25"
LENGTH: 3.34 Inches
MODEL: D1414



HEPA Floor Tool

The HEPA floor tool uses a beater bar which is powered by the suction of your vacuum. Meets EPA RRP requirements for lead abatement.

PORTS: 1.25"
LENGTH: 13 Inches
MODEL: 13242



OUR JOURNEY TOWARD LOCAL MANUFACTURING

At Dustless Technologies, we're dedicated to providing reliable solutions for dust control and job site clean-up. While we sell internationally, our roots remain firmly planted in local soil, and we're actively committed to increasing our local sourcing and manufacturing.

We understand the value of supporting local communities, creating jobs, and minimizing environmental impact through shorter supply chains. Several of our products can certify as "Made in USA" or "Buy American" certified, with many of our top sellers manufactured or assembled right here in Price, Utah. This local production allows us to ensure quality, optimise efficiency, and manage our sourcing responsibly.

However, we're not resting on our laurels. We're continuously pushing ourselves to increase our domestic footprint.

This journey has been both challenging and rewarding, filled with exciting breakthroughs and setbacks. But here at Dustless Technologies, we believe that anything worthwhile takes time and perseverance.

We're currently developing a new line of vacuums with familiar power and dependability with new sizes and upgraded components. This new line will feature a significant increase in locally sourced and manufactured parts, utilizing advanced methods to expand our domestic production capacity. We're confident that these products will represent a significant leap forward in American-made innovation.





MAKE IT DUSTLESS



Dustless Technologies
1285 East 650 South
Price, UT 84501

Customer Service

Toll Free: 800.568.3949
Phone: 435.637.5885
Fax: 208.567.6706

Email: sales@dustlesstools.com
Website: dustlesstools.com